according to Regulation (EC) No 1907/2006

## **FLOORTOP**

Revision date: 09.08.2016 Product code: 70305\_CLP Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**FLOORTOP** 

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

For cleaning up

## Uses advised against

No information available.

## 1.3. Details of the supplier of the safety data sheet

Company name: DR.SCHNELL Chemie GmbH

Street: Taunusstraße 19
Place: D-80807 München

Telephone: +49/89/350608-0 Telefax: +49/89/350608-47

e-mail: info@dr-schnell.de

Contact person: Josef Feuerstein Telephone: +49/89/350608-46

e-mail: sdb@dr-schnell.de Internet: www.dr-schnell.de

Responsible Department: Labor

**1.4. Emergency telephone** Emergency CONTACT (24-Hour-Number) international:

number: GBK GmbH +49 (0) 61 32 - 8 44 63

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

Classification according to directive 67/548/EEC or 1999/45/EC: The preparation is not dangerous in the sense of Directive 1999/45/EC.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

#### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

# Additional advice on labelling

Labelling (67/548/EEC or 1999/45/EC): Omitted

## 2.3. Other hazards

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

according to Regulation (EC) No 1907/2006

## **FLOORTOP**

Revision date: 09.08.2016 Product code: 70305\_CLP Page 2 of 10

#### **Hazardous components**

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification according to Regulati	ion (EC) No. 1272/2008 [CLP]	•	
64-17-5	Ethanol			
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			
68439-46-3	Alkoholethoxylat C9-C11			1 - < 5 %
	Acute Tox. 4, Eye Irrit. 2; H302 H31	9		
25265-71-8	Oxydipropanol			< 0.1 %
	246-770-3		01-2119456811-38	

Full text of H and EUH statements: see section 16.

## **Further Information**

Regulation (EC) No. 648/2004 (Detergents regulation) 5 % - < 15 % non-ionic surfactants

perfumes: Citronella oil, Citral, limonene, linalool Benzisothiazolinone, Methylisothiazolinone

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## After inhalation

If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. Move victim out of danger zone. Provide fresh air.

In all cases of doubt, or when symptoms persist, seek medical advice.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Remove contaminated clothing immediatley and dispose off safely.

In case of skin irritation, seek medical treatment.

# After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. In all cases of doubt, or when symptoms persist, seek medical advice.

# After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician immediately. To be accompanied by MSDS.

## 4.2. Most important symptoms and effects, both acute and delayed

If applicable, delayed symptoms and effects can be found in section 11., i.e. under section 4.1 for absorption methods.

It can take hours before symptoms of poisoning show up following exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No information available.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

according to Regulation (EC) No 1907/2006

## **FLOORTOP**

Revision date: 09.08.2016 Product code: 70305\_CLP Page 3 of 10

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray. / alcohol resistant foam. / Carbon dioxide (CO2). / Dry extinguishing powder.

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. Hazardous combustion products

Oxides of carbon

Gas/vapours, toxic.

## 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

If necessary Full protective suit.

## **Additional information**

Use water spray jet to protect personnel and to cool endangered containers.

Suppress gases/vapours/mists with water spray iet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Remove all sources of ignition. No smoking.

Provide adequate ventilation.

Avoid contact with eyes and skin.

If necessary Caution, slippery

#### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Stop leak if safe to do so.

Do not pour down the drain undiluted.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Can be diluted with water

Flush residue with plenty of water.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 For personal protective equipment see Section 8 and for disposal instructions see Section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. In addition to the information contained in this section, relevant information can also be found in sections 8 and 6.1.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Further information on handling

Provide adequate ventilation.

Keep away from sources of ignition. - No smoking.

according to Regulation (EC) No 1907/2006

## **FLOORTOP**

Revision date: 09.08.2016 Product code: 70305\_CLP Page 4 of 10

Avoid contact with eyes and skin.

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

General hygiene measures for the handling of chemicals are applicable.

Observe instructions for use.

Notice the directions for use on the label.

Working methods should be applied according to operating instructions.

Keep away from food, drink and animal feedingstuffs.

Contaminated work clothing should not be allowed out of the workplace.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Not to be stored in gangways or stair wells. Store product closed and only in original packing.

storage temperature: at room temperature

# Advice on storage compatibility

No special measures are necessary.

## 7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

# 8.2. Exposure controls

## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

This can be achieved by local exhaust ventilation or general ventilation.

When exceeding the occupational exposure limit (OEL): Use appropriate respiratory protection.

Applies only if maximum permissible exposure values are listed here.

# Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and after work.

Keep away from food, drink and animal feedingstuffs.

Contaminated work clothing should not be allowed out of the workplace.

## Eye/face protection

Recommendation: Tightly sealed safety glasses. (EN 166)

For Danger of splashes.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the

according to Regulation (EC) No 1907/2006

## **FLOORTOP**

Revision date: 09.08.2016 Product code: 70305\_CLP Page 5 of 10

supplier of these gloves. Recommended

rubber gloves. (EN 374) Hand lotion are recommended.

No tests have been carried out.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

When exceeding the occupational exposure limit (OEL): Filter A (EN 14387), brown

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

## **Environmental exposure controls**

No information available.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: green
Odour: characteristic

Test method

pH-Value: ~8,5

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: not determined Flash point: 78 °C Sustaining combustion: Not sustaining combustion

**Flammability** 

Solid: not determined
Gas: not determined

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits: 3,5 vol. % Ethanol Upper explosion limits: 15 vol. % Ethanol

**Auto-ignition temperature** 

Solid: not determined
Gas: not determined

Decomposition temperature: not determined

**Oxidizing properties** 

not determined

Vapour pressure:

Vapour pressure:

Density:

Bulk density:

not determined

1,004 g/cm³

not applicable

according to Regulation (EC) No 1907/2006

## **FLOORTOP**

Revision date: 09.08.2016 Product code: 70305\_CLP Page 6 of 10

Water solubility: easily soluble., miscible.

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

Not determined

Viscosity / kinematic:

Not determined

Vapour density:

Not determined

Evaporation rate:

Solvent content:

not determined

not determined

not determined

9.2. Other information

Solid content: not determined

Mixability: not determined Fat solubility (g/l): not determined Conductivity: not determined Surface tension: not determined

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Not expected.

## 10.2. Chemical stability

Stable with proper storage and handling.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known.

# 10.4. Conditions to avoid

See also section 7.

Heat, open flames, ignition sources

## 10.5. Incompatible materials

Avoid contact with strong oxidants

# 10.6. Hazardous decomposition products

See also section 5.2.

No decomposition when used as directed.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

## Toxicocinetics, metabolism and distribution

Possibly more information on health effects, see Section 2.1 (classification).

# **Acute toxicity**

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

## **FLOORTOP**

Revision date: 09.08.2016 Product code: 70305\_CLP Page 7 of 10

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
64-17-5	Ethanol					
	oral	LD50	10410 mg/kg	Rat		
	dermal	LD50	>2000 mg/kg	Rabbit		
	inhalative (4 h) vapour	LC50	117-125 mg/l	Rat		
68439-46-3	Alkoholethoxylat C9-C11					
	oral	LD50 mg/kg	>2000-5000			
	inhalative (4 h) vapour	LC50	>20,1 mg/l			

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

See section 2.1 (rating) for potentially additional information concerning environmental effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	
64-17-5	Ethanol						
	Acute fish toxicity	LC50	13000 mg/l		Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris		
	Acute crustacea toxicity	EC50	12340 mg/l		Daphnia magna (Big water flea)	Daphnia magna	
68439-46-3	Alkoholethoxylat C9-C11						
	Acute fish toxicity	LC50	11 mg/l	96 h			
	Acute algae toxicity	ErC50	1,1-10 mg/l	72 h	Skeletonema costatum		
	Acute crustacea toxicity	EC50	1-10 mg/l	48 h			

# 12.2. Persistence and degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

## 12.3. Bioaccumulative potential

according to Regulation (EC) No 1907/2006

# FLOORTOP Revision date: 09.08.2016 Product code: 70305\_CLP Page 8 of 10

No data available

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	Ethanol	-0,35

#### 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

No data available

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Dispose of waste according to applicable legislation.

For example: designated incinerator

E.g. dispose at suitable refuse site.

# Waste disposal number of waste from residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents containing hazardous substances

Classified as hazardous waste.

## Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

# Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Completely empty containers

Contaminated packages must be completely emptied and can be re-used following proper cleaning.

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number:	not applicable
14.2. UN proper shipping name:	not applicable
14.3. Transport hazard class(es):	not applicable
14.4. Packing group:	not applicable

# Inland waterways transport (ADN)

14.1. UN number:	not applicable
14.2. UN proper shipping name:	not applicable
14.3. Transport hazard class(es):	not applicable
14.4. Packing group:	not applicable

Marine transport (IMDG)

according to Regulation (EC) No 1907/2006

FLOORTOP

Revision date: 09.08.2016 Product code: 70305\_CLP Page 9 of 10

14.1. UN number:not applicable14.2. UN proper shipping name:not applicable14.3. Transport hazard class(es):not applicable

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:not applicable14.2. UN proper shipping name:not applicable14.3. Transport hazard class(es):not applicable

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not a hazardous material with respect to these transportation regulations.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

2010/75/EU (VOC): 2,956 % (29,8 g/l) 2004/42/EC (VOC): 2,96 % (29,838 g/l)

**Additional information** 

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

Revised sections: 3, 8, 11, 16

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

# Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

EUH210 Safety data sheet available on request.

according to Regulation (EC) No 1907/2006

# **FLOORTOP**

Revision date: 09.08.2016 Product code: 70305\_CLP Page 10 of 10

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)